


SCCM 2007 – FEP 2010 dekommissionieren

Migrationsjobs SCCM 2012 loeschen



The screenshot shows the SCCM console interface. On the left is a navigation tree with the following structure:

- Overview
 - Hierarchy Configuration
 - Site Configuration
 - Sites
 - Servers and Site System Roles
 - Client Settings
 - Security
 - Distribution Points
 - Distribution Point Groups
 - Migration
 - Source Hierarchy
 - Migration Jobs
 - Distribution Point Upgrades

The main pane displays a table with columns: Icon, Source Site Code, Status, and Last Data-Ga. A context menu is open over a row, showing the following options:

- Configure Credentials
- Share Distribution Points
- Gather Data Now
- Refresh (F5)
- Stop Gathering Data
- Properties




Configuration Manager


 Do you want to stop gathering data from the Configuration Manager 2007 site?

When you stop gathering data from a Configuration Manager 2007 site, new or changed objects at the site are not identified and are not available for migration. Additionally, any Configuration Manager 2007 shared distribution points are no longer offered as content locations for packages that were migrated to Configuration Manager 2012.


Ja Nein



Cleanup Migration Data




Migrations Jobs und Source Hierarchie ist gelöscht




Alte migrierte FEP Objekte loeschen


Darauf achten, dass die Pakete keinem Target zugewiesen sind




Ggfs. Abhaengigkeiten pruefen




DCM Policies entfernen – werden nicht benötigt



Danach sind die Deployments entfernt



Alte Configuration Items löschen




FEP 2010 deinstallieren

FEP Konsole deinstallieren

FEP Berichtserstellung deinstallieren

FEP Endpoint Protection Server deinstallieren

SCCM deinstallieren



Microsoft System Center Configuration Manager 2007 SP2

Oberwachung des Setupaktionsstatus


Setup führt die von Ihnen gewünschten Aktionen aus.

Configuration Manager wurde von diesem Computer deinstalliert. Klicken Sie auf 'Weiter', um den Vorgang fortzusetzen.

Aktion	Status
✓ Client-Deinstallation starten	Abgeschlossen
✓ Posteingänge löschen	Abgeschlossen
✓ ConfigMgr-Dienste entfernen	Abgeschlossen
✓ ConfigMgr-Datenbank deinstallieren	Abgeschlossen
✓ ConfigMgr-bezogene Objekte in Active Directory bereinigen	Abgeschlossen
✓ Dateien löschen	Abgeschlossen
✓ SMS-Anbieter deinstallieren	Abgeschlossen
✓ ConfigMgr-Registrierung bereinigen	Abgeschlossen
✓ ConfigMgr-Programmgruppe löschen	Abgeschlossen
✓ ConfigMgr MMC-Konfigurationsdaten löschen	Abgeschlossen

< Zurück Weiter > Abbrechen

FEP SQL DB loeschen



- FEP Server in Arbeitsgruppe aufnehmen
- Reboot
- FEP Computerobjekt aus dem AD loeschen

Systems Management Container wird automatisch durch die SCCM 2007 Deinstallation bereinigt

Active Directory-Benutzer und -Computer

Datei Aktion Ansicht ?

Active Directory-Benutzer und -Computer [redacted] D

- Gespeicherte Abfragen
- Built-in
- Computers
- Domain Controllers
- ForeignSecurityPrincipals
- IT
- LostAndFound
- Managed Service Accounts
- Microsoft Exchange Security Groups
- MOMLatencyMonitors
- OperationsManager
- OpsMgrLatencyMonitors
- Program Data
- Softwareverteilung
- Standort
- System
 - AdminSDHolder
 - ComPartitions
 - ComPartitionSets
 - DomainUpdates
 - IP Security
 - Meetings
 - MicrosoftDNS
 - Policies
 - RAS and IAS Servers Access Check
 - System Management** 2 Objekte
 - SMS-MP-BBP-[redacted].LOCAL
 - SMS-Site-BBP

Name	Typ
SMS-MP-BBP-[redacted].LOCAL	mSSMSManagementPoint
SMS-Site-BBP	mSSMSSite