How the Exchange Server 2007 setup extends the Active Directory schema

Written by Marc Grote - mailto:grotem@it-training-grote.de

Abstract

In this article I will show you how the Exchange Server 2007 setup extends the Active Directory and why these Schema changes are important for Exchange Server 2007.

Let's begin

Microsoft Active Directory uses the Schema to represent the classes, attributes and objects that are used to display what you can see in the GUI of the Active Directory Users and Computers SnapIn or other SnapIns. The schema is part of the Schema partition in Active Directory and the Schema partition will be replicated through all Active Directory domain controllers in the Forest.

Because Active Directory schema changes are an important part of a healthy Active Directory environment only members of the Schema Administrators and Enterprise Administrator groups have the right to extend and manage the Active Directory schema.

Requirements

Because Exchange Server 2007 is a 64 Bit application, you cannot install Exchange Server 2007 on 32 Bit Server; but it is possible to use the Exchange 2007 32 Bit version for Active Directory Schema extension. It is possible to extend the Active Directory schema with a 32 Bit trial version of Exchange Server 2007 on a 32 Bit Windows 2003 machine.

You should always use the Active Directory Schema Master for expanding the Schema for Exchange Server 2007 because of replication traffic.

Exchange Server 2007 prerequisites:

A successful Exchange Server 2007 installation depends on a lot of prerequisites. You will need the following updates before installing Exchange Server 2007:

Windows PowerShell 1.0 English-Language Installation Package for Windows Server 2003 (KB926139)

http://www.microsoft.com/downloads/details.aspx?familyid=10EE29AF-7C3A-4057-8 367-C9C1DAB6E2BF&displaylang=en

Microsoft .NET Framework Version 2.0

http://www.microsoft.com/downloads/details.aspx?FamilyID=0856eacb-4362-4b0d-8 edd-aab15c5e04f5&displaylang=en

.NET Framework Update for .NET Framework Version 2.0:

http://technet.microsoft.com/en-us/library/729d1648-ff17-43f9-a1cf-4285a82d4917.aspx

Microsoft Management Console (MMC) 3.0 if Windows Server 2003 R2 is not used http://www.microsoft.com/downloads/details.aspx?familyid=4C84F80B-908D-4B5D-8 AA8-27B962566D9F&displaylang=en

Extending the Active Directory schema

If the user who is installing Exchange Server 2007 is a member of the Schema and Enterprise Administrators group, Exchange Server 2007 setup automatically extends the Active Directory schema and you don't have to run the Active Directory extension manually. This procedure is not common in larger environments where the Active Directory and Exchange Management are strictly separated.

For this reason it is possible that a Windows Server 2003 Active Directory Administrator which is member of the Schema and Enterprise Administrators group can extend the Active Directory schema without installing Exchange Server 2007.

Exchange Server 2003 uses the Setup switch *Setup /Forestprep* to expand the Windows Active Directory schema but Exchange Server 2007 uses a new tool to extend the Active Directory schema called SETUP.COM which can be used with various parameters.

One of these parameters you need to extend the Active Directory schema is ...

Setup.com /prepareschema

This setup parameter is responsible for adding additional schema attributes to the Active Directory Schema which will be used by Exchange Server 2007 and its subsystems. This Setup parameter will be used in conjunction with the *Setup.com / PrepareLegacyExchangePermissions* parameter, if Exchange Server 2007 will be installed into an existing Exchange Server 2003 environment.

Setup /PrepareLegacyExchangePermissions

This setup parameter prepares Exchange Server 2003 for interoperability between Exchange Server 2003 and Exchange Server 2007. This parameter requires Enterprise Administrator rights and will be executed as part of the /PrepareSchema switch. Read more about this setup switch at http://technet.microsoft.com/en-us/library/bb125224.aspx. You only have to do this if it is a fresh Exchange Server installation.

Schema extension files

Exchange Server 2007 setup uses, like Exchange Server 2003 a lot of Schema extension files in LDF (Lightweight Directory Exchange) format. During Schema extension, these files will be imported into Active Directory. Exchange Server 2007 will use a lot more Schema extension files as you can see in the following picture.

Y:\tools\exchange\ex2k7\ex2k7-dvd\englisch\setup\data								
atei <u>B</u> earbeiten <u>A</u> nsicht <u>F</u> avoriten E <u>x</u> tras <u>?</u>								
) Zurück 🔻 🕤 🖌 🏂 🔎 Suchen 🎓 Ordner 🛛 🎼 🎯 🗙 🍤 🛄 🕶								
dregse 🗁 Y:\tools\exchange\ex2k7\ex2k7-dvd\englisch\setup\data								
rdner	×	Name	Größe	Тур 🔺				
🗉 🛅 ex2k	_	postwindows2003_schema97.ldf	3 KB	LDF-Datei				
🕀 🧰 ex2k3		postwindows2003_schema98.ldf	3 KB	LDF-Datei				
🗆 🫅 ex2k7		postwindows2003_schema99.ldf	14 KB	LDF-Datei				
표 🛅 adam-sp1		💌 rights.ldf	42 KB	LDF-Datei				
🗄 🧰 docs		💌 rights_uninstall.ldf	6 KB	LDF-Datei				
🗆 🦳 ex2k7-dvd		🖹 rightsadam.ldf	10 KB	LDF-Datei				
🗉 🧰 deutsch		🖻 schema0.ldf	19 KB	LDF-Datei				
🖃 🫅 englisch		💌 schema1.ldf	18 KB	LDF-Datei				
🗉 🧰 scripts		💌 schema2.ldf	19 KB	LDF-Datei				
🖂 🧰 setup		💌 schema3.ldf	21 KB	LDF-Datei				
🖃 🧰 data		🕒 schema4.ldf	5 KB	LDF-Datei				
🗉 🧰 images		🗩 schema5.ldf	7 KB	LDF-Datei				
🕀 🦳 perf		💌 schema6.ldf	7 KB	LDF-Datei				
🗄 🫅 serverroles		🕒 schema7.ldf	15 KB	LDF-Datei				
E 🛅 updates		🗩 schema8.ldf	7 KB	LDF-Datei				
E in hotfixe		🗩 schema9.ldf	7 KB	LDF-Datei				
		🗩 schema10.ldf	5 KB	LDF-Datei				
E Comobile		🗩 schema11.ldf	9 KB	LDF-Datei				
E C moc		🖻 schema12.ldf	17 KB	LDF-Datei				
Image: Construction of the second		🖻 schema13.ldf	18 KB	LDF-Datei				
Covershell		🗩 schema14.ldf	18 KB	LDF-Datei				
		🗩 schema15.ldf	18 KB	LDF-Datei				
		🗩 schema16.ldf	18 KB	LDF-Datei				
⊡ gabac pri migrace		🗩 schema17.ldf	19 KB	LDF-Datei				
E C spibeta		🖻 schema18.ldf	18 KB	LDF-Datei				
E ispirated		🗩 schema19.ldf	18 KB	LDF-Datei				
		💌 schema20.ldf	19 KB	LDF-Datei				
E Cost		💌 schema21.ldf	18 KB	LDF-Datei				
ure 1: Schema extension files	-1	141						

Figure 1: Schema extension files

The following picture shows an example of a Schema definition file. The file you will see here is called Schema0.ldf. This file and others will be imported during the Exchange Server 2007 installation or the manually execution of *Setup.com* /prepareschema.

```
📕 schema0.ldf - Editor
                                                                                                                                                            _ 🗆 🗡
 Datei Bearbeiten Format Ansicht ?
dn: CN=ms-Exch-Access-Control-Map,<SchemaContainerDN>

changetype: ntdsSchemaAdd
adminDescription: ms-Exch-Access-Control-Map
adminibescription: ms=Exch=Access=Control=Map
adminDisplayName: ms=Exch=Access=Control=Map
attributeID: 1.2.840.113556.1.4.7000.102.64
attributeSyntax: 2.5.5.12
isMemberofPartialAttributeSet: FALSE
isSingleValued: TRUE
lDAPDisplayName: msExchAccessControlMap
name: ms=Exch=Access=Control=Map
name: ms-Exch-Access-Control-Map
oMSyntax: 64
objectCategory: CN=Attribute-Schema,<SchemaContainerDN>
objectClass: attributeSchema
schemaIdGuid:: ZET1j50w0hGqBgDAT47t2A==
searchFlags: 0
dn: CN=ms-Exch-Activation-Schedule,<SchemaContainerDN>
changetype: ntdsSchemaAdd
adminDescription: ms=Exch=Activation=Schedule
adminDisplayName: ms=Exch=Activation=Schedule
attributeID: 1.2.840.113556.1.2.213
attributeSyntax: 2.5.5.10
ieMomberofDestialAttributeSet: EALSE
 isMemberOfPartialAttributeSet: FALSE
issinglevalued: TRUE
|lDAPDisplayName: activationSchedule
mapiId: 32837
name: ms-Exch-Activation-Schedule
```

```
Figure 2: Detailed view of Schema0.ldf file
```

Use ADSIEDIT to view all Schema extensions during Exchange Server 2007 setup

You can use ADSIEDIT to view all Schema entries in the Schema partition of Active Directory. ADSIEDIT is part of the Windows Server 2003 Support tools which you can find on the Windows Server 2003 installation CD.

🍕 ADSI Edit			_ 8					
🤣 Datei Aktion Ansicht Eenster ?			_ 8					
n ADSI Edit	Name	Class	Distinguished Name					
🔄 📑 Domain [w2k3marc.w2k3.dom]	E CN=ms-Exch-Applies-To-Smtp-VS-BL	attributeSche	CN=ms-Exch-Applies-To-Smtp-VS-BL,CN=					
🔄 🗍 Configuration [w2k3marc.w2k3.dom]	CN=ms-Exch-Assistant-Name	attributeSche	CN=ms-Exch-Assistant-Name,CN=Schem					
🖻 🗍 Schema [w2k3marc.w2k3.dom]	CN=ms-Exch-Assoc-Remote-DXA	attributeSche	CN=ms-Exch-Assoc-Remote-DXA, CN=Sc					
CN=Schema,CN=Configuration,DC=w2k3,DC=dom	CN=ms-Exch-Associated-AG	attributeSche	CN=ms-Exch-Associated-AG,CN=Schema					
	CN=ms-Exch-Association-Lifetime	attributeSche	CN=ms-Exch-Association-Lifetime, CN=Sc					
	CN=ms-Exch-Attachment-Filtering-Admin-Message	attributeSche	CN=ms-Exch-Attachment-Filtering-Admin					
	CN=ms-Exch-Attachment-Filtering-Attachment-Names	attributeSche	CN=ms-Exch-Attachment-Filtering-Attach					
	CN=ms-Exch-Attachment-Filtering-Content-Types	attributeSche	CN=ms-Exch-Attachment-Filtering-Conte					
	CN=ms-Exch-Attachment-Filtering-Exception-Connect	attributeSche	CN=ms-Exch-Attachment-Filtering-Excep					
	CN=ms-Exch-Attachment-Filtering-Filter-Action	attributeSche	CN=ms-Exch-Attachment-Filtering-Filter-					
	CN=ms-Exch-Attachment-Filtering-Reject-Response	attributeSche	CN=ms-Exch-Attachment-Filtering-Rejec					
	CN=ms-Exch-Attribute-Certificate	attributeSche	CN=ms-Exch-Attribute-Certificate,CN=S					
	CN=ms-Exch-Audit-Flags	attributeSche	CN=ms-Exch-Audit-Flags, CN=Schema, Cl					
	CN=ms-Exch-Auth-Orig	attributeSche	CN=ms-Exch-Auth-Orig,CN=Schema,CN					
	CN=ms-Exch-Auth-Orig-BL	attributeSche	CN=ms-Exch-Auth-Orig-BL,CN=Schema,					
	CN=ms-Exch-Authentication-Flags	attributeSche	CN=ms-Exch-Authentication-Flags,CN=9					
	CN=ms-Exch-AuthMailDisposition	attributeSche	CN=ms-Exch-AuthMailDisposition, CN=Sci					
	CN=ms-Exch-Authorization-Persistence	attributeSche	CN=ms-Exch-Authorization-Persistence,					
	CN=ms-Exch-Authorized-Domain	attributeSche	CN=ms-Exch-Authorized-Domain, CN=Sci					
	CN=ms-Exch-Authorized-Password	attributeSche	CN=ms-Exch-Authorized-Password,CN=					
	CN=ms-Exch-Authorized-User	attributeSche	CN=ms-Exch-Authorized-User, CN=Scher					
	CN=ms-Exch-Auto-Database-Mount-After	attributeSche	CN=ms-Exch-Auto-Database-Mount-Afte					
	CN=ms-Exch-Auto-Discover-Auth-Package	attributeSche	CN=ms-Exch-Auto-Discover-Auth-Packag					
	CN=ms-Exch-Auto-Discover-Cert-Principal-Name	attributeSche	CN=ms-Exch-Auto-Discover-Cert-Princip					
	CN=ms-Exch-Auto-Discover-Config	classSchema	CN=ms-Exch-Auto-Discover-Config,CN=					
	CN=ms-Exch-Auto-Discover-Directory-Port	attributeSche	CN=ms-Exch-Auto-Discover-Directory-Po					
	CN=ms-Exch-Auto-Discover-Flags	attributeSche	CN=ms-Exch-Auto-Discover-Flags,CN=S					
	EXCN=ms-Exch-Auto-Discover-Port	attributeSche	CN=ms-Exch-Auto-Discover-Port, CN=Scl					

Figure 3: Active Directory Schema partition after Schema extension

Setup.com /preparedomain

If you have other domains in which you would like to install Exchange 2007 Server, execute the following command:

setup.com /PrepareAD

Property sets in Exchange Server 2007

You can use property sets in Exchange Server 2007 for grouping of attributes that enables access control for specific object properties. Property sets uses one single Access Control Entry (ACE) instead of an ACE for each individual property.

Exchange Server 2007 creates two new property sets exclusively for Exchange Server 2007 and doesn't use existing Active Directory property sets. During Active Directory Schema extension, Exchange Server 2007 performs the following actions:

- Extends the Active Directory schema with new classes and attributes.
- Creates the property sets for Exchange Server 2007 and Exchange Information and Exchange Personal Information.
- Adds the appropriate attributes to the Exchange Information and Exchange Personal Information property sets

Schema Extensions of Exchange Server 2007 SP1

Exchange Server 2007 SP1 comes with a lot of additional Schema extensions:

- ms-Exch-Foreign-Forest-Public-Folder-Admin-USG-Sid,<SchemaContainerDN>
- ms-Exch-Internal-NLB-Bypass-Host-Name,<SchemaContainerDN>
- ms-Exch-Mobile-Additional-Flags,<SchemaContainerDN>
- ms-Exch-Mobile-Allow-Bluetooth,<SchemaContainerDN>
- ms-Exch-Mobile-Allow-SMIME-Encryption-Algorithm-Negotiation,<SchemaContainerDN>
- ms-Exch-Mobile-Approved-Application-List,<SchemaContainerDN>
- ms-Exch-Mobile-Max-Calendar-Age-Filter,<SchemaContainerDN>
- ms-Exch-Mobile-Max-Email-Age-Filter,<SchemaContainerDN>
- ms-Exch-Mobile-Max-Email-Body-Truncation-Size,<SchemaContainerDN>
- ms-Exch-Mobile-Max-Email-HTML-Body-Truncation-Size,<SchemaContainerDN>
- ms-Exch-Mobile-Min-Device-Password-Complex-Characters,<SchemaContainerDN>
- ms-Exch-Mobile-Require-Encryption-SMIME-Algorithm,<SchemaContainerDN>
- ms-Exch-Mobile-Require-Signed-SMIME-Algorithm,<SchemaContainerDN>
- ms-Exch-Mobile-Unapproved-In-ROM-Application-List,<SchemaContainerDN>
- ms-Exch-Standby-Copy-Machines,<SchemaContainerDN>

Please note:

There are many more Schema changes during Exchange Server 2007 SP1 setup but I don't won't to list all changes in this article. If you are interested what changes comes at all, read the following <u>article</u>.

Verifying Exchange Server 2007 SP1 schema extensions

It is possible to verify the Active Directory schema extensions with ADSIEDIT which is part of the Windows 200x support tools.

Navigate to CN CN=ms-Exch-Schema-Version-

Pt,CN=Schema,CN=Configuration,DC=DN-of-forest-root-domaincontroller . In the Attribute Editor tab, scroll down to the rangeUpper attribute. If Exchange 2007 Service Pack 1 Beta 2 has extended the schema, the value should be 11116. If you are using the RTM version of Exchange 2007 the value should be10637. For Exchange 2003, the value should be 6870 and Exchange 2000 should return a value of 4397.

🐗 ADSI Edit								
nie Aktion Ansicht Fenster	2							
	F							
ADSI Edit	Name	Class	Distinguished Name					
Domain [w2k3marc.w2k3.dom]	Exch-Safe-Recipients		CN=ms-Exch-Safe-Recipients-Hash,CN=Schema,CN=Conf					
Configuration [w2k3marc.w2k3.d								
CN=Configuration,DC=w2k3,	EXCN=ms-Exch-Sasl-Log		+ +	? ×				
🕀 🧰 CN=DisplaySpecifiers	CN=ms-Exch-SASL-Me CN=ms-Exch-Schema-Version-Pt Properties							
	CN=ms-Exch-Sched-P Attribute Editor Cicharbait							
CN=ForestUpdates	EXCHANGE Call of Stohennell [CN=ms-Exch-Sched-P Show mandatory attributes							
CN=LostAndFoundConfig On=NTDS Quotas	🖺 CN=ms-Exch-Sched-P 🛛 🔽 Show <u>m</u> andatory attributes							
En CN=Partitions	🖹 CN=ms-Exch-Scheduk 🔽 Show ontional attributes							
CN=Physical Locations	CN=ms-Exch-Schema-	now only attributes t	hat have values	pnfigu				
E. CN=Services	Exch-Schema	-	nacharo <u>T</u> aldoo	, CN=				
🕀 💼 CN=Sites	E CN=ms-Excn-Schema-	CN=ms-Exch-Schema-						
🔄 🗄 🚞 CN=WellKnown Security F	CN=ms-Exch-Schema- Attri CN=ms-Exch-Scope-M prox CN=ms-Exch-Search-F prox CN=ms-Exch-Search-F que CN=ms-Exch-Search-F que	bute iedObjectName	Syntax Value DN Binary <not s<="" td=""><td>▲</td></not>	▲				
E- Schema [w2k3marc.w2k3.dom]	CN=ms-Exch-Scope-M Prox	vAddresses	Unicode String <not s<="" td=""><td>ats Buon,</td></not>	ats Buon,				
CN=Schema, CN=Configuration	CN=ms-Exch-Search-t que	yPolicyBL	Distinguished <not s<="" td=""><td>iet></td></not>	iet>				
		leFower	Integer 1	uratio				
		jeUpper PropertyMetaData	Integer 11116 Octet String 0x01 0	gurat x00.0x00.0x00.0x0				
		JpToDateVector	Octet String (Not S					
	E CN-mc-Exch-Security reps	From	Octet String <not s<="" td=""><td>iet></td></not>	iet>				
	le la le		Octet String <not s<="" td=""><td>iet></td></not>	iet>				
		sion emaFlagsEx	Integer <not s<br="">Integer <not s<="" td=""><td></td></not></not>					
		emalDGUID		x98 0x81 0x5f 0xcs tion.[
		iahtsEffective	Integer 15	Eigura				
	CN=ms-Exch-Sender-I			D pnfigu				
	CN=ms-Exch-Sender-I	<u>E</u> dit		hema,				
	CN=ms-Exch-Sender-I			,CN=				
	E CN=ms-Exch-Sender-I			=Sch				
	E CN=ms-Exch-Sender-I		OK Abbr	echen Übernehmen rval, (
	CN=ms-Exch-Sender-L			Scher				
	CN=ms-Exch-Sender-Reputat		CN=ms-Exch-Sender-Rep	utation-Max-Pending-Operations				
	E CN=ms-Exch-Sender-Reputat			utation-Max-Work-Queue-Size,C				
Figure 4: Display Schema extension) (E) CN=ms-Eych-Sender-Reputation version	attributeSche	CN=ms-Eych-Sender-Reni	itation-Min-Download-Interval C				

Conclusion

In this article I showed you how the Exchange Server 2007 setup extends the Microsoft Active Directory schema and why Active Directory schema extensions are necessary through Exchange Server 2007 setup. I also showed you how the Exchange Server 2007 SP1 setups add additional schema changes.

Related Links

Active Directory Schema Changes (SP1)

http://technet.microsoft.com/en-us/library/bb738144.aspx How to Prepare Active Directory and Domains http://technet.microsoft.com/en-us/library/bb125224.aspx Windows PowerShell 1.0 http://www.microsoft.com/downloads/details.aspx?familyid=10EE29AF-7C3A-4057-8 367-C9C1DAB6E2BF&displaylang=en Microsoft .NET Framework Version 2.0 http://www.microsoft.com/downloads/details.aspx?FamilyID=0856eacb-4362-4b0d-8 edd-aab15c5e04f5&displaylang=en .NET Framework Update: http://technet.microsoft.com/en-us/library/729d1648-ff17-43f9-a1cf-4285a82d4917.as рх Microsoft Management Console (MMC) 3.0 if Windows Server 2003 R2 is not used http://www.microsoft.com/downloads/details.aspx?familyid=4C84F80B-908D-4B5D-8 AA8-27B962566D9F&displaylang=en How the Exchange 2003 Active Directory Connector Setup Process Updates the Schema http://support.microsoft.com/kb/822589/en-us

Description of the Parameters Used With the Exchange 2007 Setup.com Tool http://technet.microsoft.com/en-us/library/bb288906.aspx