Microsoft Exchange 2003 – Configuring Outlook 2003 for Offline use with Exchange 2003

Written by Marc Grote MCP, MCP+I, MCSA 2K/2K3, MCSA-S-E 2K/2K3, MCSE NT4/2K/2K3, MCSE-S 2K/2K3, MCT, CNA, CCNA, CCA, CCSA mailto:grotem@it-training-grote.de

Introduction

When you use Outlook 2003 with Microsoft Exchange Server 2003, you can configure some folders in your mailbox for offline use, that is, you can use the contents of a folder without a Network connection.

Offline folders are only available in combination with Exchange Server.

Offline folders are the quickest and easiest way to work offline with Exchange Server. Offline folders make it possible to work with the contents of an Exchange Server folder while you are not connected to the network (as an example mobile workers), and then when you are connected to the network, you can synchronize the Offline folders.

This article explains in details how you can create, use, and synchronize offline folders.

This article is based on Microsoft Office Outlook 2003 (Build 11.4508.5606) and Microsoft Exchange Server 2003 (Build 6944.4).

Let's begin

Offline folders are stored in an offline folder (.ost) file. You can specify the path to store the OST file. OST files in Outlook 2003 are not limited to 2 GB size - be sure you have enough capacity on your hard drive. Like personal folders (.pst files), the .ost file can be compacted in three steps to save space on your computer.

What is the difference between Offline folders and personal folders?

The difference between an offline folder file and a personal folder is that the offline folder file is an exact replica of your folders on the Exchange Server 2003, and is updated by the server during client initiated synchronization. A set of personal folders, on the other hand, is simply a storage location on your hard disk or a server other than the Exchange Server 2003.

When you are working offline, you work with the contents of an offline folder exactly as you do with a folder that is part of your mailbox on the Exchange 2003 Server. For example, you can change and move items in your offline Inbox and send messages that are placed in your offline Outbox. When you connect your computer to the network you can manually or automatically synchronize the offline folders. Your message in the offline Outbox will be transmitted to the exchange server.

The first step is to configure the desired Address lists for offline use for Microsoft Outlook. The standard configuration makes the Global Address List available for offline use. You can specify the update interval of the Address List and the Address List compatibility for Exchange 4.0 and 5.0 servers (only necessary when you have Exchange 4.0 and 5.0 servers in your organization).

🏪 Exchange System-Manager	
🔁 Eile Action View Window Help	
← → 🗈 🖪 🐰 🖻 💼 🗙 😭 🚱 🔮	
NTUGORG (Exchange)	Offline Address Lists
🖨 🚞 Global Settings	Name Server
Internet Message Formats Message Delivery	Standard Offline Address List LAPMARC
Mobile Services	
🖻 🧰 Recipients	Standard-Olflineadressliste Properties
	General Details Security
All Address Lists All Global Address Lists Offline Address Lists	Standard-Offlineadressliste
Recipient Update Services Recipient Policies	Offline address list server:
E Administrative Groups	LAPMARC Browse
E Obernkirchen	Address lists:
🗄 🛅 Tools	Global Adress List
	Add Hemove
	Update interval:
	Run daily at 4:00 AM
	Exchange 4.0 and 5.0 compatibility
	OK Cancel Apply Help

Figure 1: Configuring Exchange Address Lists for offline use

The next step is to configure an Outlook profile for Offline folder use. In this example we create a new Outlook profile. You have to click on "E-mail Accounts".

Mail Setu	p - fdgdfg	×
E-mail Ac	counts	i e
		E-mail Accounts
Data Files	;	
	Change settings for the files Outlook uses to store e-mail messages and documents.	Data <u>Fi</u> les
Profiles =		
	Setup multiple profiles of e-mail accounts and data files. Typically, you only need one.	Show Profiles
		⊆lose

Figure 2: Creation of a new Outlook profile

The next step is to click "Add new e-mail account"



Figure 3: New e-mail account

Now we have to configure the Server Type - Click "Microsoft Exchange Server" and then click "Next"



Figure 4: Select the Server Type

Type the Exchange Server Name (NetBIOS name or DNS name). Type the name of the mailbox name. The mailbox name is usually your user name.

In our example it is important to deselect "Use Cached Exchange Mode". Cached Exchange Mode is a new feature of Outlook 2003 something similar with offline folders.



Figure 5: Specify Server and Mailbox Name

Next click "Advanced" than "Offline Folder File Settings" to specify the path to the .OST File

licrosoft Exchange Server	×						
General Advanced Security Connection Remote Mail Mailboxes Open these additional mailboxes: Add Remove							
Cached Exchange Mode Settings							
Mailbox Mode The mailbox mode is undefined and will be determined the next time Outlook starts.							
Offline Eolder File Settings							
OK Cancel Apply							

Figure 6: Click "Offline Folder File Settings"

Specify the path to the .OST file and select the Encryption Setting. Default is "Compressible Encryption. Note: When you select "High Encryption" you don't have the possibility to compact the .OST File.

Offline Folder File Settings						
Eile: daten\Microsoft\Outlook\outlook.ost Browse						
Encryption Setting						
O No Encryption						
Compressible Encryption						
C High Encryption						
Reduces the size of your offline folder file						
Disable Offline Use The offline folder file will not be opened on startup						
OK Cancel						

Figure 7: Specify the path to the .OST file

After the successfully creation of the outlook profile you can start Outlook. The next step is to go into the properties of the folder for offline use and specify a "Filter" for the content to synchronize.

Ceneral I	Home Page	AdoAritere
Administration Fo	nis Pernissims	Synchronization
BandReparts	o set the synchronizati viru want to synchron from the Toole menu.	ion filter for this certhis folder, choise
Filter	er ene anene copy or i	THI FOOR
Statistics for this folde		
Last synchronized or	1: 30.12.20031	4.704
Offline Folder contain	n: 3.bar(a)	

Filter	×
Messages More Choices	Advanced
Search for the word(s):	
<u>I</u> n:	subject field only
F <u>r</u> om	
Sent T <u>o</u>	
🔲 <u>W</u> here I am:	the only person on the To line
Ti <u>m</u> e;	Y
	OK Cancel Clear <u>A</u> ll

Figure 8: Filter settings for Offline folders Figure 9: Advanced Filter configuration

Select the offline address book

In Outlook go to Tools - Send/receive - Download address book.

Now we have to specify the settings for the Microsoft Exchange Server offline address book. The default is to download "Full Details".

You also have the chance to choose the address book for offline use.

Offline Address Book	×						
Microsoft Exchange Server offline address book:							
Download changes since last Send/Receive							
_ Information to download							
📀 Eull Details							
No Details. This choice takes less time to download the offline address book. However address details are not provided and you cannot send encrypted messages with Remote Mail.							
Address book							
Choose <u>a</u> ddress book:							
\Global Address List	1						

Figure 10: Select Download details and address books to download

To configure the offline settings in more details you can "Define Send/Receive Groups".

With the help of Send/Receive Groups you can specify send/receive schedules (Figure 12) and Account options (Figure 13) where you can select to download "offline address books", the availability of home pages offline, and the folders to be available offline. You can also specify how to download items. "Download headers only" or "Download complete item including attachments" are the options.

Statistics Serd/Receive (M Frd Older List Frd The Epider (Morosoft Exchange Server) Suit+F9 Madam The Epider (Morosoft Exchange Server) Suit+F9 Server Frd The Epider (Morosoft Exchange Server) Suit+F9 Madam The Epider (Morosoft Exchange Server) Suit+F9 Server Frd The Epider (Morosoft Exchange Server) Free Exchange Server Mailbox Manager on ompleted processing successfully. Madam The Exchange Server Mailbox Manager on ompleted processing successfully. Free Husp Information Madage Server Server Mailbox Manager on ompleted processing successfully. Free Husp Information Madage Server Server Mailbox Manager on ompleted processing successfully. Free Husp Information Server Server Mailbox Manager on ompleted processing successfully. Free Husp Information Free Husp Information Server Server Mailbox Objetal "Filter Meth Ip Download Manager on ompleted processing successfully. Free Husp Information One Server Mailbox Manager on ompleted processing successfully. Meth Ip Download Manager on ompleted processing successfully. Order Server Mailbox Manager on ompleted processing successfully. Meth Ip Download Manager on Ompleted processing successfully.	File Edit Wey Go	Tee	Artions Help					Type a passien for he		
Solder List Indiana generation Paddrat President consult Paddrat Risk and Alefts Operation consult Risk and Ris	کلا (2) ای ا- ∾ط (2) کا (2) ای اخط (2) ا®		Send Receive Find	,		Send/Receive All F9 This Exider (Norosoft Exchange Server) Shift+F9				
Production - Adversarie Pack and Aletts Op of Office Assistant Download Address Book F Production Op of Office Assistant Hobog Clearup Expty Caking the Objector Production C State-Child Expty Caking the Objector Production Expty Caking the Objector Production C Expty Caking the Objector Production State-Child Expty Caking the Objector Production Expty Caking the Objector Production C Expty Caking the Objector Production Production Expty Caking the Objector Production Expty Caking the Objector Production C Expty Caking the Objector Production Production Expty Caking the Objector Production Expty Caking the Objector Production C Expty Caking the Objector Production Production Expty Caking the Objector Production Expty Caking the Objector Production C Expty Caking the Objector Production Production Expty Caking the Objector Production Expty Caking the Objector Production C Expty Caking the Objector Production Production Expty Caking the Objector Production Production Expty Caking the Objector Production Expty Caking the Objector Production Expty Caking the Objector Productin Producting the Objector Pro	older List		Organige	EC+D		1 "Al Accounts" Group	-1	R Exchange Server Mailbox Manager on		
A Arigsten Og of Office Assistant Notice Charter Note Note Note <t< td=""><td>Potfach - Administra</td><td>2</td><td>Rules and Alerts</td><td></td><td></td><td>2 "Microsoft Exchange Server" Only</td><td></td><td colspan="3" rowspan="3">ompleted processing successfully. If t Exobange Server Hallbox Hapager bas pressing railboxes</td></t<>	Potfach - Administra	2	Rules and Alerts			2 "Microsoft Exchange Server" Only		ompleted processing successfully. If t Exobange Server Hallbox Hapager bas pressing railboxes		
Control Code C	Aufgaben Entwarfe Galantite Objekte		Out of Office Assistant Mailboy Cleanup		-	Download Address Book				
Durnal Durnal Durnal 2003-12-30 13:14:20 Durnal Potension Durnal 2003-12-30 13:14:20 Durnal Potension 2003-12-30 13:14:20 Durnal Potension 2003-12-30 13:14:20 Potension Potension 2003-12-30 13:14:22 Potension Potension 2003-12-30 13:14:22 Potension Potension 0 Potension Potension Potension 0 Potension Potension Potension 0 Potension Potension Potension Potension Potension	Gesendete Objekt	3	Empty "Geldschite Objekte" Fol	ler -		Download geaders in This Polder				
	Journel Junk-E-Mail Kalender Sa Kontakte	9	Escover Celețail Barra Corres Macro	;	5 5 6	Mark to Download Manage(s) Ozl+Alt+M Unmark Selected Readers Ctrl+Alt+U Unmark All Headers Ctrl+Alt+U		2003-12-30 13:14:20 : 2003-12-30 13:14:22 rocessed: 0 wd: 0		
Bill Starth Folder Lipborti P Addr Folders Dief Up Cognetion Fider Stee Dief Up Cognetion Dief Bild Starth Folder Starth Folder Starth Folder Dief Up Cognetion Piele Start Starthold Starth Folder Available (mine) Piele This Folder Available (mine) Piele Piele This Folder Available (mine) Piele This Folder Available (mine) Piele This Folder Available (mine)	Postausgang Postningang (2 E Synchronisierungs		E-mail Accounts Quatomize			Process All Marked Headers Brocess Marked Headers in The Folder		ed messages: 0.00 KB hagen: 0 sted messages: 0.00 KB		
Folder Stee Data File Management Media Centrants Centrants Tasks Notes Media Centrants C	Public Folders	-	Obpane	_		Send/Receive Settings	•	Define Send/Receive Groups Obi+Alt+5		
	Data File Management						- Married	Shore brokes Nake This Folder Available Office		
	🛓 Mai									
Tasks Tosks Notes The folder was last undered at 13.22. [6] CM	👖 Calendar									
Tasks Notes The folder was list undered at 13-24. (c) CH	Contacts									
Netes	🞽 Tasks									
The folder was list undered at 13.04. 🔊 CM	Notes									
The fidder was list undered at 13.02. [c]			📬 🗷 🗧			+1				
								114		



Figure 13: Account options

Now you are ready. You have configured Outlook and Exchange for Offline folder use. You have to wait a few seconds or more until Outlook has synchronized the content of the folders with the .OST file. You can see the increasing of the .OST file in the Windows Explorer where the file exists.

You can simulate an Outlook connection without network connectivity when you disable the network connection ore disconnect the network cable.

Next start Outlook and you will see that you can work with Outlook as with a network connection to the Exchange 2003 Server.

When you connect your Client to the network you can manually or automatically synchronize the offline folders with the Exchange Server.

Ein Edit Yerr Ga	Ton	la Actions Help		-		_	-	type a question for help		
χαγον • (3) Ω X 2010 ε⇔ 00 (2)		Sgnd,Receive Find			Send/Receive @I P* The Golder (Microsoft Exchange Server) Shift+P		• 😸 🚽			
Folder List	10	Address Book C	trl+Shift+B		Send All	_	Find Now Care	Options * a		
All Polders	1	Organige			1 "All Accounts" Group					
💝 Poetfach - Administra	100	Rules and Alerts			2 "Microsoft Exchange Server" Only	> ft E	xchange Server Mailbox	Manager on		
Aufgaben Di Eobaixte		Out of Office Assistant	<i>n</i> –		Download Address Book	om	pleted processing succe	ssfully.		
Gelöschie Obiekte		Malbog Gearup			Produce adversation	n				
Generalete Objeit	3	Empty "Gelbechte Objekts	"Polder		Download geaders in This Polder	1	Junkanas Garmar Waillow	Neverney has		
Junk-Erhol	2	Assove Telepethem.		0,	Mark to Dovenload Message(a) Col+Ab+P	(sydnange server nailboxes	Ballager Hab		
Kalender		Eoms		3	Mark to Download Message Copy	20	13-12-30 19:44:17 2003-12-30 19:44:17			
Notizen		Macro	,	2	Unnark Selected Headers Chi+Alt+4	1 100	essedi 0			
Posteisgang		E-nial Accounts		10	Uninar§ All Headers	- ted	: 0 			
🗄 🛄 Synchronisierunge		Znazouese			Process All Marked Headers		Jagesi 0			
H 2 Search Polders		Qptions	The rice		Bracess Marked Headers in This Polder	sce	i messages: 0.00 KB			
			🖂 System	m	SendiReceive Settings		• [
Potter Sizes			The Micro		Dial-Up Cognector					
			The Mor	nauto osoft	Exchange Server Mal					
			📑 Systemaufeit		aht 17:59 yr					
			This Mich	and the	Exchange Server Nat					
			The Mon	osañ	Exchange Server Nal					
📑 Hal			📑 Systema	itamaufaidht 17:29 🐺						
Calendar			Administr	a Moroent Extrange Server Mal						
			WITHTY		A 46.48 T					
Contracts			🖻 Systema	ufield	# 17:14					
🖌 Tasks			Settena	Add	r 16/59					
Notes			The Mon	mon	Exchange Server Nal					
		- DL >	C Systems	feld	t 16:44 w					
Date:			- ine jaci	USC III				100 25274		
Rens		-						O Online		
farest 🛛 🔁 😂 🖄	Ú.	Postningang - Mit	7060					1951		

Figure 14: Send/receive – Offline folder synchronization **Conclusion**

Offline folders are not new to Outlook and Exchange. Outlook 2003 provides some enhancements for offline use (Unicode format for .OST files, greater size of .OST files, replication enhancements and notifications).

Related Links

Exchange 2003 Online help